


LAMP PHOTOMETRIC REPORT

MODEL: 92EL62282065/WH		
POWER: 20W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

TOTAL FLUX: 2104.2 lm



$\gamma$	C0	C45	C90	C135	C180	C225	C270	C315	$\gamma$	$\Phi$ zone	$\Phi$ total	%
10	1354	1353	1354	1357	1361	1362	1361	1358	0- 10	132.1	132.1	6.28
20	1197	1195	1197	1204	1210	1212	1209	1203	10- 20	362.8	494.9	23.5
30	956.5	953.7	961.9	976.5	989.3	990.9	982.4	968.5	20- 30	504.5	999.4	47.5
40	555.4	553.7	565.4	582.9	598.2	596.9	584.2	568.7	30- 40	483.4	1483	70.5
50	248.8	247.0	252.0	261.3	270.7	270.2	263.9	256.1	40- 50	309.6	1792	85.2
60	121.6	121.1	120.9	124.0	126.5	126.2	123.5	122.4	50- 60	159.4	1952	92.8
70	69.56	66.28	63.46	68.71	72.25	70.91	67.56	69.39	60- 70	95.00	2047	97.3
80	26.26	22.25	19.75	24.08	26.67	25.57	23.00	25.06	70- 80	47.62	2094	99.5
90	0.4846	0.4733	0.4495	0.4663	0.4467	0.4325	0.4386	0.4417	80- 90	9.810	2104	100
100									90-100			
110									100-110			
120									110-120			
130									120-130			
140									130-140			
150									140-150			
160									150-160			
170									160-170			
180									170-180			
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG  
C Interval: 10.0DEG  
Test Speed: MEDIUM  
Temperature:25.3°C  
Operators:  
Test Date:07 December 2022

$\gamma$  Range: 0 - 90DEG  
 $\gamma$  Interval: 2.5DEG  
Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.456  
Humidity:65.0%  
Test Distance:6.265m [K=1.0000]  
Remarks:

```

γ Range: 0 - 90DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```

```

γ Range: 0 - 90DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```